

IT'S NOT A FOOD AND BEVERAGE VEHICLE.



IT'S A **Club Car**

CAN A FOOD & BEVERAGE VEHICLE REALLY DO THAT?



Develop a  taste for
increased revenue.

Progressive courses are finding on-course sales of food and beverage produce significant revenue. They also know that offering high-margin items like cigars and golf balls can really boost profits. Club Car's® food and beverage solutions

are designed to attractively display multiple items and spark impulse buying. All stock rides securely and safely in sturdy compartments aboard a dependable Club Car Turf Utility vehicle. Good service is good business. Cha-ching.

CAFÉ EXPRESS DELUXE SE



CAFÉ EXPRESS



CAFÉ EXPRESS DELUXE SE ACCESSORIES



Food Warmer



Beverage Containers



Air pot



Hot Box



Humidor



Cash Drawer

CAFÉ EXPRESS ACCESSORIES



Food Warmer



Beverage Container



Air pot



Hot Box



Humidor



5-panel Rearview Mirror

The ultimate merchandising vehicle—scaled to retail a variety of food and beverages, as well as high-margin items, such as cigars, balls and accessories. When you want to dial up the on course revenue, Café Express Deluxe SE is the answer.

- Power over hills with a 23 horsepower gasoline engine
- NSF rating and ISO 9001 compliance certification
- Electric bed lift with prop-rod
- Green/white stripe soft canopy
- High-impact acrylic windshield
- Electric lift for easy maintenance access
- Common-key locks on all doors and bins
- 3.3 cubic feet of consumable ice storage
- 16.5 cubic feet of cold storage space with in-wall foam insulation
- Two cambros, two drink dispensers and two trash receptacles
- Optional hot box

Looking for more revenue and profits in a smartly designed package? Look to Café Express with its well-laid-out display that encourages impulse buying. Insulated compartments are easy to load and keep drinks cold, while all your food stock rides safely and securely.

- Conquer hills fully loaded with an 11.5 horsepower gasoline engine
- Blown-in foam insulation provides superior insulation value and longer ice life
- Reliable 4-wheel, mechanical drum brakes
- Cold storage shelf for temperature sensitive items, such as sandwiches and candy bars
- Consumable ice bins on both sides of the car
- Locking latches with common-key doors and bins
- High-impact acrylic windshield

TURF 1 with PRC



A multi-tasking machine that can out-manuever anything else in its class, the Carryall Turf 1 is up to any light-duty job you throw at it. Choose a gas engine or electric with Club Car's® exclusive IQ System™; either way, you have an energetic partner built for the long haul. Add a Portable Refreshment Center to the Turf 1 to make it even more versatile.

- Choice of 351 cc gasoline 11.5 hp engine or Club Car's exclusive IQ System™ 48-volt electric motor
- 800 lb (363.2 kg) Total Vehicle Capacity
- 9.1 ft³ (0.3 m³) Cargo Box carries 300 lb (136.1 kg)
- Radio/Beverage Holder
- Differential Guard
- Heavy Duty Front Bumper
- Battery warning light standard
- Rustproof Aircraft Grade Aluminum Frame, Chassis & Cargo Box
- Self-adjusting, maintenance-free rack & pinion steering for easy handling
- Premium tread tires
- Heavy duty unitized powertrain

TURF 2 with PRC



When you want maneuverability with a little added muscle, the Carryall Turf 2 is your go-to guy. This economical yeoman is available in gas engine or electric with the IQ Plus System™, and can handle a variety of maintenance tasks, shouldering a full 1,200 pounds of vehicle capacity. So when it comes to food and beverages, the Turf 2 with a portable refreshment center can really pack a load.

- Choice of 351 cc gasoline 11.5 hp engine or Club Car's exclusive IQ Plus System™ 48-volt electric motor
- 1,200 lbs (544.8 kg) total vehicle capacity
- 15.3 ft³ (0.4 m³) Cargo Box carries 800 lb (363.2 kg)
- Headlights
- Radio/Beverage Holder
- Differential Guard
- Heavy Duty Front Bumper
- Battery warning light standard
- Rustproof Aircraft Grade Aluminum Frame, Chassis & Cargo Box
- Self-adjusting, maintenance-free rack & pinion steering for easy handling
- Premium tread tires
- Heavy duty unitized powertrain

| | CAFÉ EXPRESS DELUXE SE | CAFÉ EXPRESS | TURF 1 with PRC unit | TURF 2 with PRC unit |
|---|--|---|--|--|
| ENGINE | Kawasaki® 4-cycle, OHV, 675 cc, single cylinder, air-cooled, pressure-lubricated, spin-on oil filter | Kawasaki 4-cycle, OHV, 351 cc, single cylinder, air-cooled, pressure-lubricated, spin-on oil filter | Kawasaki 4-cycle, OHV, 351 cc, single cylinder, air-cooled, pressure-lubricated, spin-on oil filter* | Kawasaki 4-cycle, OHV, 351 cc, single cylinder, air-cooled, pressure-lubricated, spin-on oil filter* |
| HORSEPOWER | 23 hp (17.2 kw) @ 3,600 rpm** | 11.5 hp (8.6 kw) @ 3,600 rpm** | 11.5 hp (8.6 kw) @ 3,600 rpm** | 11.5 hp (8.6 kw) @ 3,600 rpm** |
| GOVERNOR | Automatic ground-speed sensing, internally geared-in unitized transaxle | Automatic ground-speed sensing, internally geared-in unitized transaxle | Automatic ground-speed sensing, internally geared-in unitized transaxle | Automatic ground-speed sensing, internally geared-in unitized transaxle |
| GOVERNED RPM | 2,800 ± 30 | 3,050 ± 30 | 3,050 ± 30 | 3,170 ± 30 |
| IGNITION | Electronic with electronic RPM limiter | Electronic with electronic RPM limiter | Electronic with electronic RPM limiter | Electronic with electronic RPM limiter |
| DRIVE UNIT | Unitized transaxle, fully synchronized forward/reverse with neutral: 14.9:1 forward, 20.5:1 reverse; reduced speed reverse | Unitized transaxle, helical gears, 11.8:1 forward, 17.1:1 reverse | Unitized transaxle, helical gears, 11.8:1 forward, 17.1:1 reverse | Unitized transaxle, helical gears, 11.8:1 forward, 17.1:1 reverse |
| BATTERIES | 12-volt | 12-volt | 12-volt | 12-volt |
| KEY- OR PEDAL-START | Key | Key | Pedal | Pedal |
| STEERING | Self-adjusting rack & pinion | Self-adjusting rack & pinion | Self-adjusting rack & pinion | Self-adjusting rack & pinion |
| FRONT SUSPENSION | Independent double A-arms with coil-over shocks | Independent leaf springs with dual hydraulic shocks | Independent leaf springs with dual hydraulic shocks | Independent leaf springs with dual hydraulic shocks |
| REAR SUSPENSION | Swing-arm with coil-over shocks | Multi-leaf springs with dual hydraulic shocks | Multi-leaf springs with dual hydraulic shocks | Multi-leaf springs with dual hydraulic shocks |
| BRAKES | 4-wheel, hydraulic disc | 4-wheel, mechanical drum | Self-adjusting, rear-wheel, mechanical drum | 4-wheel, mechanical drum |
| PARK BRAKE | Foot-operated | Foot-operated, multi-lock | Foot-operated, multi-lock | Foot-operated, multi-lock |
| FRAME/CHASSIS | Aluminum I-Beam | Aluminum I-Beam | Aluminum I-Beam | Aluminum I-Beam |
| BODY (FRONT/REAR) | ABS/DR acrylic cap/All aluminum | ArmorFlex™ TPO/All aluminum | ArmorFlex TPO/All aluminum | ArmorFlex TPO/All aluminum |
| LIGHT PACKAGE | Headlights standard | Optional | Optional | Headlights standard |
| TRAILER HITCH | Standard (front receiver) | Standard | Standard | Standard |
| FRONT TIRES | 205/65-10, 6-ply, road tires | 18 x 8.5-8, 6-ply rated, premium tread | 18 x 8.5-8, 4-ply rated, premium tread | 18 x 8.5-8, 6-ply rated, premium tread |
| REAR TIRES | 205/65-10, 6-ply, road tires | 18 x 8.5-8, 6-ply rated, premium tread | 18 x 8.5-8, 4-ply rated, premium tread | 18 x 8.5-8, 6-ply rated, extra-traction tread |
| INSTRUMENTATION | Electronic fuel gauge/hour meter, low-oil warning light | Electronic fuel gauge/hour meter, low-oil warning light, reverse warning indicator | Electronic fuel gauge/hour meter, low-oil warning light | Electronic fuel gauge/hour meter, low-oil warning light |
| BED LOAD SIZE (CARGO BED INSIDE DIMENSIONS) | N/A | N/A | 37.6 x 45.1 x 9.3 in (9.1 ft³) (95.5 x 114.6 x 23.6 cm) | 48.8 x 49.8 x 10.9 in (15.3 ft³) (124 x 126.5 x 27.7 cm) |
| BED LOAD HEIGHT | N/A | N/A | 27.5 in (69.9 cm) | 27.5 in (69.9 cm) |
| TOTAL VEHICLE CAPACITY | 1,300 lb (589.7 kg) | 1,200 lb (544.3 kg) | 800 lb (362.9 kg) | 1,200 lb (544.3 kg) |
| OVERALL LxWxH | 157.6 x 60 x 78.6 in (400.3 x 152.4 x 199.6 cm) | 111 x 50 x 72 in (281.9 x 127 x 182.9 cm) | 103.5 x 48 x 48 in (262.9 x 121.9 x 121.9 cm) | 111 x 50 x 48 in (281.9 x 127 x 121.9 cm) |
| WHEELBASE | 120 in (304.8 cm) | 77.5 in (196.9 cm) | 65.5 in (166.4 cm) | 77.5 in (196.9 cm) |
| DIFFERENTIAL GROUND CLEARANCE | 8.0 in (20.3 cm) | 4.5 in (11.4 cm) | 4.5 in (11.4 cm) | 4.5 in (11.4 cm) |
| FUEL TANK CAPACITY | 6.5 gallons (24.6 L) | 5.1 gallons (19.2 L) | 5.1 gallons (19.2 L) | 5.1 gallons (19.2 L) |
| TREAD (FRONT/REAR) | 48.8 in (124 cm)/44.5 in (113 cm) | 34.5 in (87.6 cm)/38.5 in (97.8 cm) | 34.5 in (87.6 cm)/38.5 in (97.8 cm) | 34.5 in (87.6 cm)/38.5 in (97.8 cm) |
| DRY WEIGHT (LESS BATTERIES) | 1,475 lb (669 kg) | 1,134 lb (514.4 kg) | 658 lb (298.5 kg) | 724 lb (328.7 kg) |
| FORWARD SPEED | Up to 14 mph (22.5 kph) | Up to 14 mph (22.5 kph) | Up to 15 mph (24.1 kph) | Up to 16 mph (25.7 kph) |
| CURB CLEARANCE CIRCLE | 380 in (965.2 cm) dia. | 296 in (751.8 cm) dia. | 210 in (533.4 cm) dia. | 248.4 in (630.9 cm) dia. |
| TURNING RADIUS | 186 in (472.4 cm) | 120 in (304.8 cm) | 100.8 in (256 cm) | 120 in (304.8 cm) |
| INTERSECTING AISLE | 120 in (304.8 cm) | 77 in (195.6 cm) | 72 in (182.9 cm) | 77 in (195.6 cm) |
| VEHICLE WARRANTY | 2-year/2000-hour, limited | 2-year, limited | 2-year, limited | 2-year, limited |

* Portable Refreshment Center unit not recommended for use with Turf 1 and Turf 2 electric models.

** Exceeds SAE J1940 performance standards.

There are no warranties, express or implied, contained herein. See Limited Warranty found in the owner's manual or write to Club Car, Inc. The company reserves the right to make design changes without obligation to make these changes on units previously sold. These vehicles are designed and manufactured for off-road use only. They do not conform to Federal Motor Vehicle Safety Standards for automobiles or to FMVSS 500 for low-speed vehicles, and are not equipped for operation on public streets, roads or highways.



Ingersoll Rand is a global diversified firm providing products, services and solutions to enhance the quality and comfort of air in homes and buildings, transport and protect food and perishables, secure homes and commercial properties, and increase industrial productivity and efficiency. Driven by a 100-year-old tradition of technological innovation, we enable our customers to create progress and a positive impact in their world.

Please note vehicles contained throughout the brochure may be shown with additional accessories.

1.800.CLUBCAR • +1 706.863.3000

www.clubcar.com

www.ingersollrand.com

04/11 58642992